Teacher Master

Waquoit Bay National Estuarine Research Reserve



River
fresh water

Mixing of
fresh water
and salt water

Ocean
salt water

Typical YSI
6000 series
data logger

Data logger
locations:

- Child's River
- Metoxit Point
- Menauhant
- Sage Lot

map: Waquoit Bay National Estuarine Research Reserve
photo: North Carolina National Estuarine Research Reserve

Teacher Master

The National Estuarine Research Reserve System (NERRS)



1. Wells, Maine
2. Great Bay, New Hampshire
3. Waquoit Bay, Massachusetts
4. Narragansett Bay, Rhode Island
5. Connecticut*
6. Hudson River, New York
7. Jacques Cousteau, New Jersey
8. Delaware
9. Chesapeake Bay, Maryland
10. Chesapeake Bay, Virginia
11. North Carolina
12. North Inlet-Winyah Bay, South Carolina
13. ACE Basin, South Carolina
14. Sapelo Island, Georgia
15. Guana Tolomato Matanzas, Florida
16. Rookery Bay, Florida
17. Apalachicola, Florida
18. Weeks Bay, Alabama
19. Grand Bay, Mississippi
20. Mission-Aransas, Texas
21. Tijuana River, California
22. Elkhorn Slough, California
23. San Francisco Bay, California
24. South Slough, Oregon
25. Padilla Bay, Washington
26. Wisconsin*
27. Old Woman Creek, Ohio
28. St. Lawrence River, New York*
29. Jobos Bay, Puerto Rico
30. Kachemak Bay, Alaska

* Proposed Reserve

Teacher Master

Water Temperature Measured Over One Year

Wells NERR, Webhannet Inlet, January 2007 – February 2008